



# ROSTEK DAVIT BR

## DAVIT BR

Product code: R006300 (D400), R006453 (D500)



<b>DAVIT TYPE</b>	<b>D400, D500</b>
<b>WORKING LOAD LIMIT</b>	400kg, 500kg
<b>MAX. OUTREACH</b>	D400: 3000mm, D500: 2600mm
<b>MAX. HEIGHT</b>	4200mm
<b>TOTAL WEIGHT</b>	Approximately: 190kg and 200kg (depends on height and reach)
<b>MATERIALS</b>	Socket: High grade HDG steel, Davit jib and mast: Extruded aluminium
<b>DESCRIPTION</b>	Rostek Davit arms D400 and D500 are optimal for hidden maintenance solutions. The davits can be easily erected and tilted with removable chain block arm for transportation or storage. Roof transportation is easy with big wheels attached to the davit body. Both Davits have an adjustable outreach and D500 is equipped with a rotating spreader bar. The outreach and rotating spreader bar are adjusted and locked with a rope. The davit arm is rotated with rotation arm. The spreader bar has two wire rope suspension points which are 800mm apart. D400 and D500 have been designed and tested according to EN1808

## Designer guide:

Davit reach and height depends on customer needs. Davit pedestal is connected to the roof structure.



